

SUMMER ANNUAL FORAGE

MAS4 NUTRI SORGHO VIGNA

FODDER FOR SUMMER SOWING

- HIGH PROTEIN CONTENT**

Vigna is a tropical legume and can tolerate high temperatures and associates well with sorghum

- HIGH FODDER YIELD IN SUMMER**

Both species are selected to secure the biomass yield in the summer

- DOUBLE USE**

It can be used both as fodder and summer cover crop. The mixture is easily destructed by the frost in the winter.



60% Fabaceae

40% Gramineae

MIXTURE DETAILS

Species	Variety / Type	% Weight	No. kernels/ m ² at min density	Frost sensitivity at maturity	Benefits
Cowpea	VIGNA UNGUICULATA	60%		-1 °C	Summer legumes only performant with warm temperatures. Adapted for summer forage production with high protein content.
Sorghum × drummondii	FORAGE KING	40%		-1 °C	Cross between hybrid forage sorghum which brings productivity, disease tolerance and sudan grass which brings rusticity and drought tolerance. Very adapted to produce forage or biomass in summer

USE

Silage	Wrapping	Hay	Pasture	Grain
+++	+++	+++	+++	

SOWING & CULTIVATION

Sowing period	Late July	Ideal sowing between April and May, at a depth of 1-2 cm. For pasture use, please respect the 60cm stage of sorghum.
Sowing rate	25 - 30 kg/ha	
Sowing depth	1 - 2 cm	
Duration	Annual	